



CX-ED0010: ELECTROMECHANICAL CABINET LOCK

Camden's CX-ED0010 Electromechanical Cabinet Lock represents an evolution in secure locking systems, designed for a broad range of enclosures that use swinging doors, drawers, and sliding doors. This lock supports both 12V and 24V power supplies and introduces the flexibility of operating in either field selectable fail-safe or fail-secure modes.

The CX-ED0010 accommodates diverse security needs in places such as computer cabinets, lockers, retail display counters, and medical and cannabis dispensaries. Its inclusion of door and lock status sensors further enhances its functionality, providing real-time security status.



| Features | |
|---|---|
| <ul style="list-style-type: none"> • Front mounting for use with office drawers, display cabinets, etc. • Field selectable fail-safe or fail secure operation | <ul style="list-style-type: none"> • 440 lbs. (200 kg) holding force • Strike plate adjusts to door alignment |

| MODELS | | List Price |
|-----------|--------------------------------|------------|
| CX-ED0010 | Electromechanical Cabinet Lock | \$162.00 |

Specifications

| | |
|-----------------------|--|
| Power Input: | 12 / 24 VDC |
| Current Draw: | 280mA @ 12 VDC 140mA @ 24VDC |
| Endurance: | 250,000 cycles |
| Static Strength: | 440 lbs. (200 kg) Holding Force |
| Temp. Rating: | -4°F to 140°F (-20°C to 60°C) |
| Operation Mode: | Field Selectable Fail-Safe or Fail Secure |
| Installation Options: | Front Mount |
| Door Status Sensor: | 200mA @ 30VDC (Max) Form 'C' |
| Lock Status Sensor: | 1A @ 30V DC (Max) |
| Dimensions: | Lock Body: 3-5/16"H x 1-3/16"W x 1-1/8"D (84mm x 30mm x 28mm) Strike Plate: 2-1/16"H x 15/16"W x 1-1/4"D (52mm x 24mm x 32mm) |